

Appl. No. 09/802,417
Amdt. Dated December 3, 2004
Reply to Office action of August 24, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) An apparatus comprising:
first and second bus interface circuits to interface to first and second buses,
respectively, the first bus being accessible to a first processor;
a processor interface circuit to interface to a second processor, the second
processor having accessibility to the first and second buses; and
an arbitration logic circuit coupled to the first and second bus interface circuits
and the processor interface circuit to arbitrate access requests from the first and second
processors.
2. (original) The apparatus of claim 1 wherein the second processor is coupled to
the first and second buses.
3. (original) The apparatus of claim 2 wherein the processor interface circuit
comprises:
a command decoder to decode an access command from the second processor
requesting access to one of the first and second buses.
4. (original) The apparatus of claim 1 wherein the arbitration logic circuit disables
the first bus interface circuit when the second processor requests access to the second bus.
5. (original) The apparatus of claim 1 wherein the arbitration logic circuit enables
the first and second bus interface circuits when access request to the second bus from the first
processor is granted.

Appl. No. 09/802,417
Amdt. Dated December 3, 2004
Reply to Office action of August 24, 2004

6. (original) The apparatus of claim 1 wherein the arbitration logic circuit resolves access requests from the first and second processors such that the first processor accesses the first bus while the second processor accesses the second bus.

7. (original) The apparatus of claim 1 wherein the first processor is one of a microprocessor, a micro-controller, and a digital signal processor.

8. (original) The apparatus of claim 1 wherein the second processor is a direct memory access (DMA) controller.

9. (original) The apparatus of claim 1 wherein the first and second buses are of same type.

10. (original) The apparatus of claim 1 wherein the first and second buses are of different types.

11. (previously presented) A method comprising:
interfacing to first and second buses by first and second interface circuits,
respectively, the first bus being accessible to a first processor;
interfacing to a second processor, the second processor having accessibility to the
first and second buses; and
arbitrating access requests from the first and second processors.

12. (original) The method of claim 11 wherein the second processor is coupled to the first and second buses.

13. (original) The method of claim 12 wherein interfacing to the second processor comprises:
decoding an access command from the second processor requesting access to one
of the first and second buses.

Appl. No. 09/802,417
Amdt. Dated December 3, 2004
Reply to Office action of August 24, 2004

14. (original) The method of claim 11 wherein arbitrating access requests comprises disabling the first bus interface circuit when access request to the second bus from the second processor is granted.

15. (original) The method of claim 11 wherein arbitrating access requests comprises enabling the first and second bus interface circuits when access request to the second bus from the first processor is granted.

16. (original) The method of claim 11 wherein arbitrating access requests comprises resolving the access requests from the first and second processors such that the first processor accesses the first bus while the second processor accesses the second bus.

17. (original) The method of claim 11 wherein the first processor is one of a microprocessor, a micro-controller, and a digital signal processor.

18. (original) The method of claim 11 wherein the second processor is a direct memory access (DMA) controller.

19. (original) The method of claim 11 wherein the first and second buses are of same type.

20. (original) The method of claim 11 wherein the first and second buses are of different types.

21. (previously presented) A system comprising:
first and second buses;
first and second processors, the first processor being coupled to the first bus;
a bus controller coupled to the first and second buses to control bus access from the first and second processors, the bus controller comprising:
first and second bus interface circuits to interface to the first and second buses, respectively,

Appl. No. 09/802,417
Amdt. Dated December 3, 2004
Reply to Office action of August 24, 2004

a processor interface circuit to interface to the second processor, the second processor having accessibility to the first and second buses, and an arbitration logic circuit coupled to the first and second bus interface circuits and the processor interface circuit to arbitrate access requests from the first and second processors.

22. (original) The system of claim 21 wherein the second processor is coupled to the first and second buses.

23. (original) The system of claim 22 wherein the processor interface circuit comprises:

a command decoder to decode an access command from the second processor requesting access to one of the first and second buses.

24. (original) The system of claim 21 wherein the arbitration logic circuit disables the first bus interface circuit when the second processor requests access to the second bus.

25. (original) The system of claim 21 wherein the arbitration logic circuit enables the first and second bus interface circuits when access request to the second bus from the first processor is granted.

26. (original) The system of claim 21 wherein the arbitration logic circuit resolves access requests from the first and second processors such that the first processor accesses the first bus while the second processor accesses the second bus.

27. (original) The system of claim 21 wherein the first processor is one of a microprocessor, a micro-controller, and a digital signal processor.

28. (original) The system of claim 21 wherein the second processor is a direct memory access (DMA) controller.

Appl. No. 09/802,417
Amdt. Dated December 3, 2004
Reply to Office action of August 24, 2004

29. (original) The system of claim 21 wherein the first and second buses are of same type.

30. (original) The system of claim 21 wherein the first and second buses are of different types.